

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addieus: COMMISSIONER FOR PATENTS FO Box 1450 Alexandra, Virginia 22313-1450 www.webje.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,412	02/27/2004	Bernd Klotz	KLOTZ-3	5250
20151 7590 04/05/2010 HENRY M FEIEREISEN, LLC			EXAMINER	
HENRY M FEIEREISEN			HUSON, MONICA ANNE	
708 THIRD AVENUE SUITE 1501			ART UNIT	PAPER NUMBER
NEW YORK, NY 10017			1791	
			NOTIFICATION DATE	DELIVERY MODE
			04/05/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

INFO@FEIEREISENLLC.COM

1	RECORD OF ORAL HEARING
2	UNITED STATES PATENT AND TRADEMARK OFFICE
3 4	UNITED STATES PATENT AND TRADEMARK OFFICE
5	
6	BEFORE THE BOARD OF PATENT APPEALS
7	AND INTERFERENCES
8	AND INTERPERENCES
9	
10	Ex parte BERND KLOTZ
11	Ex parie BERND RLOTZ
12	
13	Appeal No. 2009-013486
14	Application No. 10/789,412
15	Technology Center 1700
16	reciniology center 1700
17	
18	Oral Hearing Held: March 10, 2010
19	Ordi Hearing Herd. Water 10, 2010
20	
21	Before JEFFREY T. SMITH, LINDA M. GAUDETTE, and
22	JEFFREY B. ROBERTSON, Administrative Patent Judges.
23	
24	
25	ON BEHALF OF THE APPELLANT:
26	
27	HENRY M. FEIEREISEN, ESQUIRE
28	Henry M. Feiereisen, LLC
29	708 Third Avenue
30	Suite 1501
31	New York, New York 10017
32	
33	
34	
35	
36	

- 1 JUDGE SMITH: Good morning.
- 2 MR. FEIEREISEN: Good morning. My name is Henry Feiereisen. I'm
- 3 calling regarding Appeal Number 2009-013486.
- 4 JUDGE SMITH: You've reached a hearing room at the Board. Today your
- 5 panel is Linda Gaudette, Jeffrey Smith, and Jeffrey Robertson.
- 6 MR. FEIEREISEN: Okay.
- 7 JUDGE SMITH: We're the judges presiding over the hearing for today.
- 8 MR. FEIEREISEN: Okay.
- 9 JUDGE SMITH: The proceedings today are being transcribed. We have a
- 10 transcriber here who is recording the proceedings, and that will be entered
- 11 into the record.
- 12 MR. FEIEREISEN: So you will transfer the call into the Board?
- 13 JUDGE SMITH: You actually are in the hearing room.
- 14 MR. FEIEREISEN: Oh, I am in the hearing room. Okay. Good.
- 15 So shall I start?
- 16 JUDGE SMITH: Could you spell your last name for the record.
- 17 MR. FEIEREISEN: Yes. My name is Henry Feiereisen, F-E-I-E-R-E-I-S-
- 18 E-N.
- 19 JUDGE SMITH: Thank you. You have 20 minutes to present your
- 20 arguments, and you can begin when you're ready.
- 21 MR. FEIEREISEN: I am ready.
- 22 JUDGE SMITH: Okay.
- 23 MR. FEIEREISEN: Good morning. The Examiner in this case effectively
- 24 ignored a key feature of Claim 1 that is missing in Takeda and by itself
- 25 renders the rejection under 102 untenable.

- 1 The missing feature is the reference in Claim 1 to a positive mold, which is
- 2 an established term in the art, to relate to a compression mold designed to
- 3 trap all of the molding materials and thus to prevent escape of molding
- 4 material during a molding cycle.
- 5 This definition of a positive mold is expressly adopted in Paragraph 19 of
- 6 the specification, which reads that the use of generally known positive molds
- 7 is preferred because their structure avoids escape of material from the mold
- 8 even when a half mold moves.
- 9 That the Examiner failed to recognize this claim limitation is evidenced also
- 10 by her statement in the Final Rejection, under the heading response to
- 11 arguments, where she contended that the fact that Takeda discloses a return
- 12 of material is inapposite because Claim 1 does not exclude such an extra step
- 13 when, in fact, it does.
- 14 The Examiner failed to properly define the scope of the present invention,
- 15 notwithstanding her incorrect assertion that the Takeda reference also
- 16 involves a method using a positive mold.
- 17 Takeda expressly describes a molding operation in which material from the
- 18 cavity returns to the material supply device side.
- 19 To read one of several passages -- Column 9, for example, lines 21 to 24 --
- 20 Takeda describes that excess resin inside the mold cavity returns to the
- 21 runner through the still open gate, and/or flows out to the overflow portion
- 22 so that the resin inside the mold assembly is returned to the cylinder body of
- 23 the heated cylinder unit 1.
- 24 In other words, Takeda adjusts the amount of material in the cavity until the
- 25 appropriate amount is contained in the cavity.

- 1 JUDGE SMITH: Excuse me, Mr. Feiereisen. Did vou make this argument
- 2 in your Brief?
- 3 MR. FEIEREISEN: I pressed these points, but I'm doing it from a different
- 4 angle now. I mean, it was so clear to me that the positive mold that is in the
- 5 claim language -- and I made that point on record before -- I just want to
- 6 stress it in this argument in this hearing now because it is so clear that the
- 7 positive mold is an established term; and it should be clear throughout the
- 8 record.
- 9 JUDGE SMITH: You understand we are limited to the arguments that were
- 10 presented in the Brief and that have been presented before the Examiner,
- 11 don't you?
- 12 MR. FEIEREISEN: Yes, but those arguments were presented. That's why
- 13 the Examiner in the Final Rejection referred to the point that we don't
- 14 exclude that step that material can escape, and that's why Takeda reads on it.
- 15 So that point was made.
- 16 I'm just pressing this point now from a little different angle to focus on the
- 17 positive mold, but it's there.
- 18 Takeda adjusts the amount of material in the cavity until the appropriate
- 19 amount is contained in the cavity, and in contrast thereto, Claim 1 sets for a
- 20 complete filling of the cavity once the positive mold is closed, and adding
- 21 additional material to expand the cavity to a size commensurate with a
- 22 defined article thickness.
- 23 No material is returned or intended to escape. That point was made. It's on
- 24 record.

Application No. 10/789412

- 1 Takeda differs also in other respects, which I'd briefly like to address here
- 2 and which, again, in my view renders the rejection under 102 untenable.
- 3 With respect to the step of fully filling the cavity with plastic material while
- 4 maintaining a size of the cavity constant, as set forth in Claim 1, the
- 5 Examiner interprets the reference too in this condition in Takeda to mean a
- 6 closed cavity. This is pure speculation.
- 7 Takeda merely states in Column 8, Lines 4 20, that during the filling phase
- 8 pressure equilibrium exists between the applied light clamping force, and the
- 9 biasing force of the spring.
- While pressure equilibrium exists, this is the situation that is referred to here.
- 11 The cavity is filled. There is no reference here that the cavity remains
- 12 constant during the filling step.
- 13 In fact, it can be assumed that the cavity does not remain constant because
- concurrent with the filling step is a pressure-adjusting step during which
- 15 material is continued to be forced by the screw into the cavity.
- 16 Takeda expressly states in Column 9, Lines 43-45, that the volume of the
- 17 cavity is not constant at the completion of the pressure-adjusting step.
- 18 Therefore, there is no reason to believe that the cavity remains constant
- 19 during the filling phase, and the reference to "in this situation" does not
- 20 imply anything to the contrary.
- 21 JUDGE ROBERTSON: Mr. Feiereisen, this is Judge Robertson. I wanted
- 22 to ask you a question about that because in the second step in the claim, the
- 23 distend step --
- 24 MR. FEIEREISEN: Yes.

- 1 JUDGE ROBERTSON: In that step you have additional amounts of resin.
- 2 Does that expand the cavity at that point?
- 3 MR. FEIEREISEN: The second step or the third where it says adding
- 4 plastic materials so as to distend?
- 5 JUDGE ROBERTSON: Yes.
- 6 MR. FEIEREISEN: Yes. You start, you fill it. The cavity remains
- 7 constant, then you add material -- again, no material escapes. It just goes to
- 8 the size or will expand to the size that eventually or ultimately is
- 9 commensurate with the wall thickness to be produced.
- 10 That's also another point I'd like to make where I think the Examiner is also
- 11 incorrect.
- 12 I'm coming to this adding step also right now because I think Takeda lacks
- 13 that adding step as set forth in Claim 1.
- 14 JUDGE ROBERTSON: Mr. Feiereisen, why wouldn't the pressure-
- 15 adjusting step in Takeda -- why couldn't that be interpreted as an adding
- 16 plastic material step as in the distend step in your claim?
- 17 MR. FEIEREISEN: Because in Takeda you add material but it's never in
- 18 order to make the defined -- which is also in that step -- to make the defined
- 19 article thickness.
- 20 The process in Takeda is different. You just add material but eventually, in
- $21\,$ $\,$ order to get the correct amount in the cavity, you have to inject or return
- 22 material from the cavity.
- 23 We inject more material into the cavity until it's the right amount to produce
- 24 a defined wall thickness.
- 25 In other words, what we're doing is we inject material into the cavity to

Application No. 10/789412

- 1 produce the proper wall thickness, while in Takeda the proper amount of
- 2 wall material is attained by ejecting. By removing material from the cavity.
- 3 JUDGE ROBERTSON: Okay.
- 4 MR, FEIEREISEN: That's why the reference to define is relevant because
- 5 we inject, again, until it's a defined wall thickness. That's not the case that is
- 6 shown in Takeda.
- 7 JUDGE SMITH: Which portion of your claim are you referring to regarding
- 8 the wall thickness?
- 9 MR. FEIEREISEN: Article thickness. It says in the third step, adding
- 10 plastic material so as to distend the positive mold in opposition to the
- 11 clamping force, until the cavity of the positive mold expands to reach a
- 12 defined size for producing a defined article thickness. That inherently
- 13 refers to the wall thickness.
- 14 That's not in Takeda. When they inject, the cavity does not remain constant.
- 15 It becomes constant only after the measuring step or the compression step
- 16 when the movable and stationary molds abut one another and the gate is
- 17 closed.
- 18 That's when the product is produced.
- 19 So the whole process in Takeda is totally different.
- 20 JUDGE ROBERTSON: Can I ask you what happens in the next step when
- 21 you close the positive mold until reaching a residual distending opening.
- 22 MR. FEIEREISEN: Yeah.
- 23 JUDGE ROBERTSON: What happens to the material then? Does it just get
- 24 compressed? Does any of it come out?
- 25 MR. FEIEREISEN: Yes, it's going to be compressed, I think, in Figure 3.

Application No. 10/789412

- 1 From Figure 2 to Figure 3, that's the compression step.
- 2 JUDGE ROBERTSON: Okay.
- 3 MR. FEIEREISEN: But you still leave that opening to have some kind of
- 4 floating support. That's why they retain that distending opening there.
- 5 JUDGE ROBERTSON: 15?
- 6 MR. FEIEREISEN: 15, exactly.
- 7 But the material is the same.
- 8 JUDGE ROBERTSON: Okay.
- 9 MR. FEIEREISEN: There is no escape. Again, that's what a positive mold
- 10 is all about. From that point of view, I think you cannot compare those two
- 11 processes.
- 12 May I continue?
- 13 JUDGE ROBERTSON: Yes.
- 14 MR. FEIEREISEN: With the defined wall thickness -- article thickness I
- 15 just mentioned -- the Examiner made another assertion that is simply
- 16 ignorant of what Claim 1 sets forth. That refers to the residual distending
- 17 opening reached and the plastic article is produced.
- 18 In other words, the plastic article is produced in the presence of the residual
- 19 distending opening. In Takeda the actual production of the product is
- 20 realized when the movable plate and the base member abut one another.
- $21 \hspace{0.5cm} \text{Let me just summarize five points I think Takeda differs from the present} \\$
- 22 invention. Again, in Takeda, material escapes from the cavity and, thus,
- 23 there's no positive mold involved.
- 24 In Takeda, the cavity is not filled while remaining constant in size. There is
- 25 no expansion of the cavity to the actual article thickness.

- 1 The compression is implemented from the size of the cavity, which is greater
- 2 than the actual product size or wall thickness.
- 3 In Takeda, the mold is closed until the movable plate and the base member
- 4 of the fixed mold abut together for realizing the compression stroke. There
- 5 is no residual distending opening as set forth in Claim 1.
- 6 So I do believe that these two processes are so different from one another
- 7 that the rejection should be reversed. Thank you.
- 8 JUDGE SMITH: Thank you, Mr. Feiereisen.
- 9 Do you have any questions?
- 10 JUDGE GAUDETTE: No.
- 11 JUDGE ROBERTSON: No further questions.
- 12 JUDGE SMITH: We have no further questions, and we want to thank you
- 13 for calling in today for the hearing.
- 14 As I said, the transcript will become part of the record, and you will be able
- 15 to get it once it does.
- 16 MR. FEIEREISEN: Let me also thank you. This is the first time after so
- 17 many other appeals that I tried this over the phone, for allowing me to do
- 18 that. It's not something -- I mean I hope this over the telephone is acceptable
- 19 to you, but that needed to be done in this situation.
- 20 JUDGE SMITH: Okay.
- 21 MR. FEIEREISEN: Thank you very much.
- Whereupon, the proceedings at 9:15 a.m. were concluded.

23 24

25